

Notice of Allowability

Application No.

10/777,464

Applicant(s)

PETERS ET AL.

Examiner

Amy J. Sterling

Art Unit

3632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 8/11/05.
2. ☒ The allowed claim(s) is/are 15-18.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☒ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☒ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☒ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Notice of Allowance

This is the Notice of Allowance for application number 10/777,464 Reinforced Rod Holder, filed on 2/11/04. Claims 15-18 are allowed.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

With regards to claim 15, the prior art does not teach at least one fastener boss receptive to a fastener bolt inserted through a slotted aperture in the backing plate.

Although the term "receptive to a fastener bolt" was considered as a functional statement only and not a positive limitation, the Rupp and Potter, Jr. references as combined are not capable of accepting a fastener through an aperture in the backing plate, the acceptance of the bolt into the boss, which would fixedly attach the backing plate and the upper flange to each other in a manner that would not allow the elements to rotate relative to each other. Modifying the device as such would destroy the intended purpose of the device.


With regards to claim 18, removing a fastener to remove the upper flange without disturbing the receiving socket is not possible since the receiving socket, which is attached to the backing plate, is suspended by the upper flange, so the removal of the upper flange will inherently disturb the receiving socket.


Art Unit: 3632

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 571-272-6823. The examiner can normally be reached (M-F 8 a.m.-5:00 p.m.). If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Robert Olszewski at 571-272-6788. The fax machine number for the -Technology center is 571-273-8300 (formal amendments) or 571-273-6823 (informal amendments/communications). Any inquiry of a general -nature or relating to the status of this application should be directed to the Technology Center receptionist at 571-272-3600.


AJS
Amy J. Sterling
8/18/05


KIMBERLY WOOD
PRIMARY EXAMINER